

Animal Type	Robert L. Kellogg, Charles H. Lander, et al. (2000)									USDA Natural Resources Conservation Service (2003) ^a		Recoverability	
	Small Farm Head Count - Continuous loafing / grazing (0% recoverable)	Large Farm Head Count - Continuous Confinement	Confined Manure % Recoverability	Total manure % Recoverability						Before CNMP	After CNMP	Expert panel (forthcoming)	
				DE	MD	NY	PA	VA	WV			Before AWMS	After AWMS
Beef cows, calves, heifers, stockers	20	None	98	10	10	10	5	10	0	-	-		
Dairy stockers (Confined Heifers)	20	None	98	70	70	70	65	70	70	60-65	80-85		
Fattened cattle	15	200	90	85	85	85	85	85	98	60	75	60	99
Milk cows and dairy calves	20	None	98	80	80	80	80	60	80	45-60	50-75	60	96
Breeding hogs	10	50	95	80	80	80	80	80	75	80	97	80	99
Hogs for slaughter	50	450	95	80	80	80	80	80	75	80	97		
Chickens, layers	50	400	98	90	90	90	95	98	98	85	95	85	99
Chickens, pullets	25	400	98	90	90	90	95	98	98	85	95	85	99
Chickens, broilers	100	400	98	95	95	95	95	98	98	85	98	85	99
Turkeys for breeding	50	2,000	98	95	95	95	95	98	98	90	98	85	99
Turkeys for slaughter	50	5,000	98	95	95	95	95	98	98				