

Understanding the Effectiveness of BMPs: Synthesizing Lessons Learned from Water Quality Monitoring Studies

Katie Foreman & Liza Hernandez

April 11, 2012

NTWG

Interpreting the findings

- “Synthesis” workshop
- Summary document of “overarching lessons learned”

3 main questions

- How are BMPs improving water quality?
- How can we apply what we've learned about BMPs to improve water quality?
- How can we use adaptive management to reduce uncertainty and improve the implementation of BMPs?

How are BMP practices improving water quality?

- Significant improvements can be attributed to reductions in point source nutrient discharges
- Results from the implementation of nonpoint source (NPS) BMPs vary in the extent of reduction and improvements
- The majority of NPS BMPs will take years to improve water quality in both the watershed and the estuary

How can we apply what we've learned about BMPs to improve water quality?

- BMPs must be focused (both type and location) to address the main sources of water quality impairment
- The amount of BMPs implemented should be sufficient to match the scale of the problem
- Improvements in water quality as a result of BMPs may be offset by increasing nutrients in other sources

How can we use adaptive management?

- Enhance models for targeting of BMP implementation
- Enhance monitoring of BMPs and water quality and habitat responses
- Better understanding of lessons learned from past BMP projects and the application of those lessons through adaptive management

Next Steps

TODAY: Feedback from NTWG on summary document

- Write report and determine communication strategy (April-May)
- Review process (May-June)
- Release (July-August)



Study locations

CBW Nontidal Stories	CB Tidal Stories	Stories outside of the CB Watershed
Anne Arundel Co. stream restoration (MD)	Back River (MD)	Boston Harbor (MA)
Bald Eagle Creek (PA)	Baywide synthesis (MD & VA)	Everglades (FL)
Big Spring Run and Mill Creek (PA)	Choptank (MD)	Great Lakes (Midwest)
Brush Run Creek (PA)	Corsica (MD)	Kanahoe (HI)
Cullers Run (WV)	Gunston Cove (VA)	Lake Champlain (VT)
German Branch (Choptank, MD)	Mattawoman Creek (MD)	Neuse River Estuary (NC)
Little Conestoga Creek (PA)	Patuxent (MD)	Tampa Bay (FL)
Lower Monocacy River/Lake Linganore (MD)	Potomac (MD)	Denmark
Minebank Run (MD)	Susquehanna Flats (MD)	Spain
Muddy Creek/ Lower Dry River (VA)	Wye (MD)	
Occoquan River (VA)		
Owl Run (VA)		
Sawmill Creek (MD)		
Silgo Creek (MD)		
Spring Branch (MD)		
Spring Creek (PA)		
Stephen Foster Lake (PA)		
Trap pond (DE)		
Upper Pocomoke River (MD)		
Wetlands (MD)		
Willis River (VA)		