AMT Fertilizer

12/12/2025

Tom Butler, EPA

November Action items


- 1) Examine potential data collection changes in states
- 2) Add manure to smoother fertilizer and crop need figures
 - 1) Examine projection method for non reporting jurisdictions
- 3) Dig deeper into Delaware fertilizer data behavior
- 4) Supply County Level crop need data
- 5) Compare national and Chesapeake watershed scale fertilizer and crop data trends
- 6) Compare Hillandale Populations vs CAFO permit numbers

Yellow Highlight = decisional item


Item 1 Reach out to state chemists

- KEY TAKEAWAY: CURRENT DATA ARE CORRECT
- Pennsylvania Fertilizer Sales tonnage vs AAPFCO
 - Concerned that a change in data reporting caused an underreporting of NPK between 2007 - 2014.
- Discovered there are multiple reports of AAPFCO data
 - Book release (generalized)
 - Purchased reports (specific)
- Confirmed no collection concerns
 - DE, MD, VA
- No responses were taken to mean data were correct


Item 2 Plot manure with crop need and smoothed fertilizer: How it works



Step one: Redistributes fertilizer from years of surplus to years of deficit within a 4-year window. Surplus now defined including estimated manure PAN.





Step two: Redistributes fertilizer based on crop need within a forward looking 4-year window.




Step three: Uses a spline to provide additional arbitrary smoothing.


All States, N








MD












Questions?

Decision Proposal

- We should utilize the provided fertilizer data smoothing methodology for Phase 7.
 - State specific based on crop need, a fouryear stockpiling window tied to crop need with a spline added.

Consensus Continuum



Item 2.b Project fertilizer for states not reporting data

Option 1


Tied to the <u>last</u>
year of known
data


Option 2

Tied to an
average of the
last three years
of crop need

Option 1


- Ties states fertilizer usage to crop need
 - Based on the last known year with BOTH fertilizer AND yields
 - Calculate the amount of crop need (application goal) that is satisfied with known fertilizer
 - Extrapolate into years with no known fertilizer but a known yield.
- Retains the ability of the states to keep fertilizer independent and tied to their own behavior






Option 2

- Average the fraction of crop need (application goal) met over the last three years
- Ties states fertilizer usage to crop need
 - Based on the last known year with BOTH fertilizer AND yields
 - Calculate the amount of crop need (application goal) that is satisfied with known fertilizer
 - Extrapolate into years with no known fertilizer but a known yield.
- Retains the ability of the states to keep fertilizer independent and tied to their own behavior





Questions?

Decision Proposal

- 1) We should adopt the provided method for projecting fertilizer for Phase 7.
 - 1) Projection based on state specific crop need with an average of the last three years. This is only applicable during periods where no data is reported.


Consensus Continuum





Item 3 Examine Delaware fertilizer data behavior


Possible progress with new smoothing


- State Level Fert Buckets
- State Smoothed Level Fert Buckets
- Further discussions might be warranted














Item 4 Supply County Level data for crop need

State Level Fert Buckets

- NOT SMOOTHED
- 1985-2020
- Load Source AND Crop tabs

State Smoothed Level Fert Buckets


- SMOOTHED (11/14 methods)
- 1985-2020
- Load Source AND Crop tabs


Item 5 Compare national and Chesapeake watershed scale fertilizer and crop data trends


Examine state crop need


Compare several fertilizer data sets


Examine USDA reported application to corn























Takeaways:

- Data trends are consistent over time and across multiple sources
 - Crop need is consistent over time
 - Multiple fertilizer data sets show similar trends
 - For states with application data on corn
 - Below the national average
 - Corn in CAST appears consistent with observed data

Questions?

Next steps:

- Nutrient application algorithm
 - Inorganic replacement of organic "cap" based on crop need?