



CROPLAND IRRIGATION EXPERT PANEL

JEREMY HANSON, VIRGINIA TECH | CHESAPEAKE BAY PROGRAM

ON BEHALF OF PANEL CHAIR, TIM SEXTON, LPSS-CNMP CHAIR

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

SOIL & WATER CONSERVATION DIVISION

AGRICULTURE WORKGROUP

JUNE 10, 2019

CROPLAND IRRIGATION CHARGE

- DETERMINE WATER QUALITY BENEFITS OF IRRIGATION ON CROPLAND
 - ADDRESS BENEFITS OF NITROGEN, PHOSPHORUS, AND SEDIMENT, IF EXIST, BASED UPON RESEARCH
- DETERMINE MAIN CROPS IRRIGATED IN CBW
- REFINE CURRENT INTERIM BMP DEFINITION OF CROPLAND IRRIGATION
- DETERMINE IF SOIL MOISTURE MANAGEMENT HAS WATER QUALITY BENEFITS
- DETERMINE IF FERTIGATION AND APPLICATION OF ORGANIC SOURCES INFLUENCE WATER QUALITY
- DETERMINE BASELINE FOR IRRIGATION OPERATING SYSTEMS
- IDENTIFY ANY REGIONAL VARIATIONS IN IRRIGATION PRACTICES

CROPLAND IRRIGATION

THINGS LEARNED

- LIT REVIEW: 120 PEER-REVIEWED RESEARCH PAPERS (MOST OUTSIDE CBW)
 - VERY LIMITED RESEARCH ADDRESSING WQ ISSUES ON IRRIGATED LAND
 - SOME RESEARCH NOT APPLICABLE DUE TO DIFFERENT CLIMATIC CONDITIONS
 - LIMITED RESEARCH ON IRRIGATION SYSTEMS OTHER THAN CENTER PIVOT.
 - LIMITED RESEARCH ON CROPS OTHER THAN CORN
- SOME LOCAL RESEARCH LOCALLY ON-GOING, BUT NOT PUBLISHED
- RAINFALL IS UNPREDICTABLE IN THE CBW
- CBW: 0.3% OF TOTAL WATER WITHDRAWALS ARE FOR IRRIGATION
- SOILS VARY
 - FROM LOAMY SANDS WITH LOW WATER HOLDING CAPABILITIES TO CLAYS WITH HIGH RUNOFF POTENTIAL
- INTENTION OF IRRIGATION IS TO MAXIMIZE CROP YIELD

CROPLAND IRRIGATION

THINGS LEARNED

- ALL BAY STATES HAVE RECOMMENDATIONS FOR NITROGEN ON IRRIGATED VERSUS NON-IRRIGATED LANDS
- CURRENT RESEARCH DOES NOT SUFFICIENTLY SHOW A WATER QUALITY BENEFIT ASSOCIATED WITH CROPLAND IRRIGATION
- ALL ASPECTS OF IRRIGATION INFLUENCE THE AMOUNT OF NITROGEN LOSS
- MOST RESEARCH:
 - COMES FROM MID-WESTERN STATES OR MORE ARID AREA
 - ADDRESSES ENGINEERING EFFICIENCIES OF DIFFERENT TYPES OF SYSTEMS INSTEAD OF WATER QUALITY

PANEL RECOMMENDATION

The Expert Panel agreed that there is not sufficient science-based research available to indicate a reduction in N losses due to irrigation of corn, therefore an N efficiency value cannot be established at this time.

This does not preclude the possibility of revisiting cropland irrigation as a BMP for a future expert panel, should a more robust catalogue of scientific research literature addressing cropland irrigation management and its water quality impacts emerge.

The panel strongly encourages further research on the impacts of cropland irrigation on nutrient and sediment loss and encourage the readers to review the ***Ancillary Benefits and Unintended Consequences and Future Research and Management Needs Section*** of the recommendations report. (p. ii)

PANEL RECOMMENDATIONS: FUTURE RESEARCH

UNDERSTANDING P BEHAVIOR UNDER IRRIGATED CONDITIONS

CROP RESPONSE AND NITROGEN USE EFFICIENCY

- DATA COLLECTION ON CROP RESPONSE TO IRRIGATION RATE ON THE COASTAL PLAIN
- FIELD TESTS OF NUE ASSUMPTIONS REGARDING NON-IRRIGATED VS. IRRIGATED PLOTS UNDER DELAWARE FIELD CONDITIONS (SIMS ET AL. 2012) AND THE IMPACT OF THOSE ASSUMPTIONS ON NITROGEN LOSS.
- CBW FIELD RESEARCH ON SUPPLEMENTAL IRRIGATION.
 - INCONCLUSIVE DATA LIMITS THE ASSERTION THAT INCREASED CRUDE PROTEIN IN CORN IS AN INDICATION OF LESS NUTRIENTS SUBJECT TO LEACHING.

NUTRIENT SOURCE

- EXPLORE THE IMPACT OF LITTER AND MANURE APPLICATION UNDER IRRIGATED CONDITIONS

NUTRIENT MANAGEMENT

- RESEARCH ON MOST EFFICIENT N RATES FOR IRRIGATED CORN AND OTHER CROPS TO ENSURE THAT NUTRIENT APPLICATION RECOMMENDATIONS ARE BASED OFF THE LATEST SCIENTIFIC DATA.

PANEL RECOMMENDATIONS: FUTURE RESEARCH (CONTINUED)

WATER QUALITY

- SENSITIVITY ANALYSES OF STUDIES LOOKING AT N LEACHING ASSOCIATED WITH IRRIGATION TO ACCOUNT FOR POTENTIAL NOISE IN THE OBSERVED DATA.
- DEVELOPMENT OF MODEL SCENARIOS TO ADDRESS IMPACTS OF VARIOUS ENVIRONMENTAL CONDITIONS ON POTENTIAL FOR NUTRIENT LEACHING AND TRANSPORT.
 - IDENTIFICATION OF MODELING DATA THAT DOES EXIST THAT CAN INFORM EVALUATION OF IRRIGATION UNDER DIFFERENT ENVIRONMENTAL CONDITIONS.
- MONITORING WATER AND LAND MANAGEMENT PRACTICES IN A STRATEGIC MANNER TO COLLECT THE DATA MOST CRITICAL TO INFORMING MODELING SCENARIOS.
 - A LONG-TERM (5-8 YEAR) STUDY WITH BROAD PARTICIPATION IS NEEDED TO GET A BETTER SENSE OF AVERAGE CONDITIONS.
- RESEARCH AND DATA INFORMING THE CONDITIONS UNDER WHICH A WATER QUALITY BENEFIT COULD BE EXPECTED FROM CROPLAND IRRIGATION
 - (E.G., WEATHER, WATER MANAGEMENT, NUTRIENT MANAGEMENT, HEALTHY SOIL PRACTICES, SOIL ORGANIC MATTER CONTENT).

PANEL RECOMMENDATIONS: FUTURE RESEARCH (CONTINUED)

IRRIGATION MANAGEMENT

- CBW RESEARCH ON VARIABLE RATE IRRIGATION TO ADDRESS IRRIGATION ON FIELDS ENCOMPASSING WETLANDS OR UNEVEN SOIL MOISTURE CONDITIONS.
- CBW RESEARCH ON THE INTERACTION OF IRRIGATION MANAGEMENT WITH OTHER MEASURABLE VARIABLES
 - (E.G., YIELDS, BIOMASS, SOIL MOISTURE).

TIMELINE AND NEXT STEPS

Date	Action
January 16, 2019	Recommendations Report released for review
February 26, 2019	Webinar and Public Meeting: Recommendations of the Cropland Irrigation Expert Panel
March 12, 2019	Final day for partnership feedback (no feedback received)
March 21, 2019 (AgWG meeting)	Panel Chair requests approval from AgWG; decision postponed pending DE feedback
April 15, 2019	DE feedback submitted to AgWG leadership and Expert Panel
April 18, 2019	Panel Chair acknowledges receipt of DE feedback and anticipated panel review in time for decision for approval at May AgWG meeting.
April 18 – May 7, 2019	Draft responses compiled and shared with panel; panel convenes to discuss feedback and responses; consensus from the panel on the responses and acceptable revisions to the report
May 9, 2019	Revised report and responses from panel distributed for AgWG
May 16, 2019 (AgWG meeting)	Panel Chair requested approval from AgWG, captured lack of consensus for WQGIT
June 10, 2019 (WQGIT)	Panel Chair requests approval from Water Quality GIT, with DE feedback considered

DE FEEDBACK SUMMARY:

Recurring Comment	Panel Response (abridged)
#1: Edits for clarity or substance	<ul style="list-style-type: none"> • Considered minor clarifying edits on a piecemeal basis • Will not accept inserted/revised text that is not adequately cited/supported • Will not accept any edits that change the substance of the panel's reasoning or conclusions.
#2: (MODELING) DE expects that a modeling exercise be undertaken either by this expert panel or by a new expert panel before a final report be approved without an efficiency estimate. This effort is endorsed by the BMP EP Protocol and there is no justification in this report why such an exploration was not attempted by this panel.	<ul style="list-style-type: none"> • Disagrees with the commenter and feels that the report, as written, appropriately justifies its conclusions. • A new panel cannot be considered until the partnership finalizes the current report and releases the current panel for the completion of its charge.
#3: (RESEARCH APPLICABILITY) Studies of irrigation in the Midwest or other regions have limited applicability in the CBW or the Delmarva; should not be included or considered in the report or the panel's conclusions.	<ul style="list-style-type: none"> • Limitations of the available research studies acknowledged throughout the report. • Will not remove sections or statements that summarize such studies - serves as useful documentation for future expert panels or research efforts.
#4: (NUE as water quality determinant) The panel should recommend a nitrogen efficiency for cropland irrigation based on estimates of improved nitrogen use efficiency (NUE); the panel confused or did not fully account for NUE.	<ul style="list-style-type: none"> • Data considered from Virginia Tech field trials presented by Wade Thomason (p. 25; Figure 8). • There was not sufficient data for the panel to define an overall nitrogen efficiency based solely on changes in NUE of corn.
#5: Various edits/comments pertaining to section summarizing University of Delaware study (Shober et al., 2018).	The panel appreciates the suggested edits from the study author (Amy Shober) and will incorporate these cumulative edits in its revised draft. (<u>Note:</u> revisions to this section were made and accepted, therefore not marked up in May 9 version for readability)

DE LETTER TO PANEL

DE Comments	Panel Response
<p>The report both dismisses (p16) and embellishes (pp16-25) the relevance of mid-west research studies as a proxy for CBW effects for irrigation. As the report states, the ubiquity of irrigation in the mid-west limits the applicability of the results to our region and systematically limits the comparison to dryland production, which for the CBW is a baseline condition. These papers, rather than be categorically summarized and cited, should merely be referenced as the independent variables are insufficiently similar to CBW to influence the report's findings, again stated on page 16 of the report.</p> <p><u>[DE questions inclusion of limited-applicability research]</u></p>	<p>The panel worked to summarize available information. Given the panel's recommendations for future research needs, it was important to document information even if obtained from studies in other regions. This section will be kept as-is.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>The term of baseline conditions are used interchangeably to refer to regional agriculture status quo, model conditions without a BMP, irrigation system parameterization and soil moisture/background N levels.</p> <p><u><i>[DE questions inconsistent use of “baseline” throughout report]</i></u></p>	<p>The panel acknowledges that terms like "baseline condition" are used with variable meanings, especially in CBP technical documents and discussions that span modeling and real-world considerations. The panel feels that its usage of "baseline conditions" is appropriate when viewed in context of the respective statements, but we will consider editing specific instances for clarity.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>The report should diligently list for all studies whether antecedent groundwater (used as irrigation) nitrate was measured, reported or corrected for when considering the nutrient use efficiency of irrigated crops compared to dryland acreage. Also reported consistently should be the method by which irrigation rates were determined.</p> <p><u>[DE questions consistency of inclusion of research methods for cited studies]</u></p>	<p>In the cases when studies did account for this, it was noted in the report.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>The final version of this report, perhaps inadvertently, largely ignores the other major pathway for nutrient loss, overland flow. This component should be carefully considered and added as a parameter for rating irrigation. Improper sprinkler irrigation can promote overland loss according to newly cited research presented in these comments and some measure was taken to better incorporate this concept in the marked up report.</p> <p><u>[DE questions absence of overland flow as a considered pathway for nutrient loss.]</u></p>	<p>The panel focused primarily on nutrient losses below the root zone (the primary pathway for N loss), as other BMP panels have done for cropland BMPs. The panel chair reached out to irrigation experts for research on overland flow related to irrigation, but could not find anything that would affect the panel's existing conclusions. Anecdotal information indicates that nutrient loss by overland flow is magnified when irrigation is not managed based on soil moisture or weather forecasts.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>The report's scientific literature review mixes approaches for assessing nitrogen benefits on irrigation. Nitrogen use efficiency (NUE) is a proxy for the reduced leaching or overland flow of nitrogen, and measured soil nitrate below the root zone is an acceptable direct measure for leaching loss. These approaches for effectively measuring an irrigation treatment would rarely if ever be mixed and the report should consider them separately. The comingling of approaches may have resulted in confusion when searching for effectiveness because no study reviewed had both.</p> <p><u>[DE questions the panel's narrative approach to discussing NUE and soil nitrate measurements below the root zone.]</u></p>	<p>The panel considered data from Virginia Tech field trials presented by Wade Thomason (p. 25; Figure 8). There was not sufficient data for the panel to define an overall nitrogen efficiency based solely on changes in NUE of corn.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>Additionally, Delaware would like to reiterate, commensurate with the BMP Expert Panel review protocol, modeling exercises can be used to justify the benefit of a BMP where peer-reviewed or unpublished data fail to provide a reliable estimate. The CBPO submitted version of this report states that there was not sufficient science-based evidence to indicate a reduction (p16). While we believe there is this evidence, as presented in this letter, further simple model experimentation calculating N savings as prevented loss of N from drought induced underperformance in cropland under regional nutrient management can be cited as evidence for an efficiency so long as it is weighted less than other local, science-based research.</p> <p>Delaware expects that this effort be undertaken either by this expert panel or by a new expert panel before a final report be approved without an efficiency estimate. This effort is endorsed by the BMP EP Protocol and there is no justification in this report why such an exploration was not attempted by this panel.</p> <p><u>[DE questions panel's decision not to engage in a modeling exercise to justify cropland irrigation as best management practice for water quality.]</u></p>	<p>The panel agrees that future modeling analysis should be done to supplement future research and improve our understanding of nutrient leaching and transport. However, this panel strongly disagrees that it is the appropriate forum for such analysis. The panel report documents the panel's thought process and logic for its existing conclusion and it will not consider such additional analysis on its own. The panel stands behind its conclusion and furthermore does not have available time or resources to continue such work that it undertook starting in 2016. The panel disagrees with the commenter and feels that the report, as written, appropriately justifies its conclusions. Furthermore, a new panel cannot be considered until the partnership finalizes the current report and releases the current panel for the completion of its charge.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>Degree-earning research is recommended by Delaware reviewers as references to be subsequently and natively added to this report. The suggested 15% nitrogen efficiency, justified by Soroka (2015), has been added in a red-line review of the report, but the Panel is the only body empowered to dictate a summary of the newly provided research in the appropriate sections of the report.</p> <p><u>[DE recommends a 15% N efficiency based on Soroka (2015 master's thesis from University of DE)]</u></p>	<p>The panel thanks Delaware for providing the thesis paper. However, the panel firmly rejects the suggested 15% nitrogen efficiency value. This value, derived from analysis of 35 years of corn variety trials at the University of Delaware, suggest that rainfed plots are "80 and 85% as efficient as irrigated plots in converting applied N to grain yield."</p> <p>The panel considered NUE as described in the Virginia Tech sub-section of the <i>Recent Irrigation Research in the Chesapeake Bay Watershed</i> section. The panel's best professional judgment led them to conclude that a nitrogen efficiency cannot be determined at this time.</p>

DE LETTER TO PANEL

DE Comments	Panel Response
<p>Included as an attachment to this letter is an itemized summary of comments from the two named reviewers to facilitate the Expert Panel's response. Delaware hopes concurrence of the suggested changes can be accommodated by the expert panel and is dually supportive of on-going research to continue to justify the water quality benefits and limitations of this practice. The comments, suggestions and concerns raised in these documents shall in no way diminish the effort of the Expert Panel convened to tackle this scientific question.</p> <p><u>[DE included an itemized summary of the suggested edits for the Expert Panel Recommendations Report]</u></p>	<p>The comments are summarized below in this table (See Appendices D-E) alongside responses.</p> <p>The panel thanks Delaware for its extensive review and feedback, but under the BMP Protocol is empowered to reject or disagree with suggested revisions to the report. If the Partnership wishes to include changes over the objection of the expert panelists, the BMP Protocol provides for that option.</p> <p>The panel stands behind its conclusions and recommendations as written and with the acceptable minor changes acknowledged within this table (See Appendices D-E)</p>

DECISION ITEMS

DECISION #1: WQGIT DECISION WHETHER TO APPROVE THE CROP IRRIGATION PANEL'S REPORT, INCLUDING FUTURE RESEARCH RECOMMENDATIONS AND NO OFFICIAL BMP AT THIS TIME.

DECISION #2: CONTINUANCE OR REMOVAL OF THE INTERIM CROP IRRIGATION BMP FOR PLANNING SCENARIOS IN THE PHASE 6 MODELING TOOLS.

MAY 16 AGWG RECAP

DECISION #1: PANEL REPORT & RECOMMENDATIONS

- ENDORSE: EPA, KEN STAVER, PAUL BREDWELL, JEREMY DAUBERT, GURPAL TOOR
- AGREE W/ RESERVATIONS: NY, CBC
- STAND ASIDE: MD, WV
- HOLD: PA
- STOP: DE

DECISION #2: FATE OF INTERIM BMP

- REMOVE INTERIM BMP, “OUT”: VA, EPA, KEN STAVER, PAUL BREDWELL, GURPAL TOOR
- NO VOTE/ABSTAIN: WV
- KEEP INTERIM BMP, “IN”: DE, MD, NY, PA, CBC, JEREMY DAUBERT



Consensus Continuum



Stop

"I do not agree and
feel the need to
stand in the way of
this decision"



Hold

"I believe more
work is needed
before we make a
decision"



Stand Aside

"I trust the group
and will not block
this decision but
need to register my
disagreement"



Agreement with Reservations

"I can live with it"



Endorsement

"I like it"

DECISION ITEMS

DECISION #1: WQGIT DECISION WHETHER TO APPROVE THE CROP IRRIGATION PANEL'S REPORT, INCLUDING FUTURE RESEARCH RECOMMENDATIONS AND NO OFFICIAL BMP AT THIS TIME.

DECISION #2: CONTINUANCE OR REMOVAL OF THE INTERIM CROP IRRIGATION BMP FOR PLANNING SCENARIOS IN THE PHASE 6 MODELING TOOLS.