Land Use Loading Rates

Urban Stormwater Workgroup September 26, 2014

Olivia H. Devereux

Outline

 Loading rate targets—what are they and how are they used?

Data sources

Synthesis

Workgroup input

Timeline

Loading Rates and Targets

 Loading rates from multiple models and literature are used to inform the targets

- Targets are specified loading rates used to calibrate the Phase 6 Watershed Model
 - Does not include BMPs
 - Show relative differences among land use loading rates
 - Subject to modification through calibration. Actual rate adjusted; relative differences maintained

Use of Targets

- Targets order the influence of different land uses in the same area
- Account for differences in loading among the same land uses in different areas.
- Calibration process balances loads spatially
- Phase 6 targets will not be the same everywhere
 - Targets may vary geographically based on nutrient balance and watershed characteristics. Loads will vary around the target based on the nutrients applied and management actions

Loads from Model Calibration

 Ultimately we will end up with N, P, and sediment loads from the CBP Partnership Watershed Model Phase 6.

- Loads will vary spatially and among scenarios
 - Initial conditions (animal numbers, septic systems, land use acres)
 - BMPs

 Objective is to isolate effect of BMPs for planning purposes

Phase 5 Average Targets

Land Use	TN Lbs/Acre	TP Lbs/Acre
Nursery	240	85
Crop	23	2-2.5
Harvested Forest	20	0.8
Extractive	12.5	3.5
Urban	9.3	1.5
Hay	6	0.4-0.8
Pasture	4.5	0.7
Forest	2	0.15


Data Sources for Establishing Loading Rate Targets

- Tetra Tech urban literature review (need to convert concentrations to loads)
- Tetra Tech agricultural, forest, and other land uses literature review
- Panel and workgroup documents and recommendations
- Collaborative work with USGS-Sparrow
- CBP Sensitivity Work using the multiple model framework
 - Sparrow
 - APLE
 - APEX
 - AgCHEM
 - RUSLE2 for sediment
- CWP small-scale sediment work
- Land data team riparian analyses
- Land data team impervious connectedness analysis
- STAC recommendations
- CBP Partnership Watershed Model Phase 5 background documentation, where relevant and reflects the latest science
- ICPRB calibration work

Literature Review—Urban



e m	emo is	separated into the following sections (click for hyperlink):
•	1.0	Project Background and Purpose
•	2.0	Literature Search for Potentially Relevant Studies
•	3.0	Literature Review and Data Entry for Relevant Loading Rate and Co.
•	4.0	Search, Review, and Data Entry of TMDL Model Reports
	5.0	Quality Assurance/Quality Control
	6.0	Data Standardization/Processing
	7.0	Analysis and Results
	7.1	Analysis – Box Plots
	7.1	.1 Concentration Data Analysis Summary (NSQD and literature)
	7.1	.2 Seasonal Variation Analysis Summary (NSQD and literature)
		.3 Loading Rate Data Analysis Summary (TMDL reports and literal
	7.2	Analysis – Histograms
	7.3	
	7.4	
		.1 Hypothesis Testing
	7.4	.2 Wilcoxon Rank-Sum Statistic
•	8.0	Summary/Conclusion/Recommendations
	8.1	Summary
	8.2	Objective Conclusions
		.1 Do land use concentration/loading rates differ from overall conce
		2.2 If so, can the land use be accurately mapped and incorporated if
		2.3 If so, would the land use respond in a unique manner to the app
	8.3	Ian BMP? Conclusion
	8.3	
	8.3	
	8.4	Potential Future Efforts
	9.0	References
1		ment A: Parameter Standardization
		ment B: Land Use Standardization
		ment C: Box Plots
•		chment C.1: Concentration Statistics/Box Plots from NSQD and Literal
	- 11120	The second secon
		10306 El Tel 703-335-6000
		Tel 703-385-6000



Literature Review—Agricultural

•	Journal Title/Type of Study	•	EoF or Delivered?
•	Brief Study Description	•	Area and unit
•	LU(s)	•	Corrected Area
•	LU specifically described?	•	Standard Area Unit
	(Y/N)	•	Flow and units
•	State(s)	•	Time Frame
•	Parameter(s)	•	Sampled Flow
•	Sample Location	•	Sample Size
•	Modeling or Monitoring Study?	•	Sample Type
•	Results by Season?	•	Total Rainfall Amount (cm)
•	Dry/Storm/ Simulated?	•	Rainfall Total Type
•	EoF or Watershed?	•	General Precipitation
•	Flow through BMP?		Conditions
•	Data Source	•	Simulation Method
•	Data Quality	•	Rain Intensity (cm/hr)
•	Study Scale	•	Number of Rainfall Events
•	Original Land Use	•	Description
•	Crop Rotation	•	CAFO or AFO?
•	Years in Crop Rotation	•	Animal Type
•	Crop 1	•	Animal Details
•	Crop 1 Plant Date	•	% Imp
•	Crop 1 Harvest Date	•	Soil Type(s)
•	Yield Crop 1	•	Percent Slope
•	Yield Units Crop 1	•	Tillage
•	"Additional Yield Info"	•	Erosion Control Measures
•	Original Parameter	•	Crop1 Residue Cover (%)
•	For N and P. "Reported As"	•	Crop1 Leaf Cover (%)
	Units.	•	Nutrient Management
•	Pathway		Measures
•	Load or Concentration?	•	Animal Stocking Density
•	Study Load/ Concentration	•	Grazing Management
•	Study Unit	•	Irrigation Practices
•	Normalized Load or Concentration	•	Drainage Management
		•	Other Relevant Measures
	Normalized Units	•	Manure Type and form

•	Manure Moisture Content (%)	•
•	Rotation N Fert Form	
•	Rotation N Application Rate Basis	•
•	Rotation FertN Rate and Units	•
•	Rotation FertN Application Date	
•	Rotation FertN Method	•
•	Rotation ManureN Rate, Units	
•	Rotation ManureN Application Date	•
•	Rotation ManureN Method	•
•	Rotation OtherN Rate, Units	•
•	Rotation OtherN Application Date	•
•	Rotation OtherN Method	
•	Rotation N_Other: Specify	•
•	Crop 1 N Fert Form	•
•	Crop1 N Application Rate Basis	•
•	Crop1 FertN Rate, Units	•
•	Crop1 FertN Timing	•
•	Crop1 FertN Method	•
•	Crop1 ManureN Rate	•
•	Crop1 ManureN Units	•
•	Crop1 ManureN Timing	•
•	Crop1 ManureN Method	
•	Crop1 OtherN Rate, Units	
•	Crop1 OtherN Timing	
•	Crop1 OtherN Method	
•	Crop-Specific N_Other: Specify	
•	Rotation P Fert Form	
•	Rotation P Application Rate	

Rotation FertP Rate, Units

Basis

Rotation FertP Application
Date
Rotation FertP Method
Rotation ManureP Rate, Units

Rotation ManureP Application
Date

Rotation ManureP Method Rotation OtherP Rate and Units

Rotation OtherP Application Date

Rotation OtherP Method Rotation P_Other: Specify

Crop 1 P Fert Form

Crop1 P Application Rate Basis

Crop1 FertP Rate, Units

Crop1 FertP Timing
Crop1 FertP Method

Crop1 ManureP Rate, Units

Crop1 ManureP Timing

Crop1 ManureP Method

Crop1 OtherP Rate and Units

Crop1 OtherP Timing

Crop1 OtherP Method

Crop-Specific P_Other: Specify

Agricultural Literature Review

Tetra Tech searched Web of Science and AGRICOLA for any combination of the keywords in the four groups below. Primary consideration was given to in-watershed resources published after 1990.

Group I	Group II	Group III	Group IV
Phosphorus	Loading coefficient	Land use	Chesapeake Bay
Nitrogen	Export coefficient	Land cover	Delaware
Sediment	Export	Agriculture	Maryland
Nutrients	Load	Cropland	New York
Water quality Pollutant	Loading rate Areal load	Corn silage Soybean	Pennsylvania Virginia
Eutrophication	Loss	Small grain	West Virginia
	Runoff	Forage	
		Hay	
		Pasture	
		Vegetables	
		Nursery	
		Orchard	
		Farmstead	

Agricultural Literature Review Status as of 9/12/2014

- Keyword search results reviewed: 5,224
- Abstracts reviewed: 371
- Full text articles identified for review: 182. 37 of these reviewed to date
- Articles yielding useful data, to date: 6
- Geographic scale of data entered, to date: None of the articles yielding useful data to date are based in the Chesapeake Bay watershed. The data entered are from Alabama, Missouri, New York (Lake Ontario area), Ohio, and Wisconsin.
- Land uses represented in data entered, to date:
 - Mixed agriculture (row crops, pasture, hay)
 - Corn-soybean rotation
 - Mixed agriculture (corn, wheat, meadow)
 - Apple orchard
 - Corn with winter rye cover crop
 - Continuous corn (silage)

Non-Agriculture and Non-Urban Literature Review

- Number of papers to review = 62
- Number of articles reviewed to date = 42
 - 25 papers contained useful information.
 - Mainly watershed scale. 2 catchment scale and a few unknown.
 - Mix of dry weather and storm data.
 - Few studies have flow, soil, or precipitation data.
 - Types of information found: mostly nitrogen and phosphorus loads, concentrations, and EMCs for general forest. Have found two studies with upland forest and another of harvested.
- Not pulling information on urban breakdowns that were reviewed before.

Wetland Literature Review

Number of papers to review = 184

Number of articles reviewed to date = 0

- This is in part for the Wetland Expert Panel
 - Review for wetland efficiency
 - Review for loading rates
 - Panel has not met. Under this task, Tetra Tech will probably review to pull information so as not to delay deliverables for this task.

Role of Sparrow

- Sparrow's strengths are indicating the differences among land use categories
- Sparrow provides data that may be used to inform scaling factors in the CBP Partnership Watershed Model
 - Edge of field (EOF) export rates
 - Land to water factors for soil parameters and slopes, and more

Sparrow generates uncertainty estimates

Scale

Goal is to have targets at the

smallest scale that also is best informed by data

- Field (EOF)
- Hillslope
- -EOS
- Small Watersheds or Small Stream Networks
- Large Rivers



Land Use Summary

Urban is also divided by federal, MS4-regulated, and Combined Stormwater Sewer (CSS)

- Phase 6 proposed land uses = 46
 - Urban 8
 - Agricultural 26
 - Other 12
- Phase 5 land uses = 23
 - Urban 4
 - Agricultural 16
 - Other 3



It may be that the loading rate data do not support differentiation among some land uses


Reasons to differentiate land uses

 Distinct land use loading rates from literature, models, other data sources

 BMPs are exclusive to one type of land use (e.g.: stream corridor buffers or fencing)

 Helps jurisdictions for planning and reporting purposes. In this case, there would not be a different loading rate.

Land Use Load Decisions – Phase 6



Role of Workgroups

 Provide critical pieces of information in addition to the full literature review that is already underway.

 Panel, workgroup documents and recommendations, and available literature are critical sources of data for developing the loading rate targets.

Modeling workgroup approves the final Phase 6 model

Timeline

- December 31, 2014 Sparrow and literature review results for draft land uses
- February 28, 2015 draft targets for draft land uses
- April 30, 2015 final targets approved by Modeling Workgroup for draft land uses
- Oct 1, 2015 Once the final land uses are approved, we will finalize targets using a Sparrow update, final sensitivities, and other information.

Keeping Up To Date – Webpages

Land Use Loading Rates
 https://www.chesapeakebay.net/about/wmp_for
 _mpa_effort/land_use_loading_rates

 Additional information on component efforts http://www.chesapeakebay.net/groups/group/wa ter_quality_goal_implementation_team/wmp_fo r_the_mpa

EXTRA SLIDES

Land Uses—Developed

All are also divided by federal, MS4-regulated, and Combined Stormwater Sewer (CSS)

Phase 6 Proposed

- Impervious
 - Roads
 - Buildings, parking lots, etc.
 - Tree canopy over impervious
- Pervious
 - Turf
 - Tree canopy
 - Open space
- Construction
- Extractive

Phase 5

- Impervious developed
- Pervious developed
- Construction
- Extractive



09/15/2014

23

Land Uses—Agricultural (slide 1 of 2)

Categories developed using nutrient use intensities, management strategies, and bare soil

Phase 6 Proposed

Phase 5

- Commodity crops
 - Corn
 - Grain, fall fallow
 - Grain fall small grain (double cropped)
 - Silage, fall fallow
 - Silage fall small grain (double cropped)
 - Soybeans
 - Fall fallow
 - Fall small grain (double cropped)
 - Small grains (Wheat, Bar, Canola, Rye, Triticale, Oats, Spelt, Emmer)
 - Fall fallow
 - Forage
- Hay and legume forage
 - Alfalfa and other legumes
 - Non-legume forage
 - Pasture and pastured cropland

- Hightill with manure
- Hightill without manure
- Lowtill with manure
- Nutrient management hightill with manure
- Nutrient management hightill without manure
- Nutrient management lowtill
- Alfalfa
- Hay with nutrients
- Hay without nutrients
- Nutrient management alfalfa
- Nutrient management hay
- Pasture
- Nutrient management pasture



Land Uses—Agricultural (slide 2 of 2)

Phase 6 Proposed

- Specialty and other crops (9 separate land uses)
 - Vines
 - High, medium, low input
 - Low cover
 - High, medium, low input
 - High cover
 - High, medium, low input
- Farmsteads (4 separate land uses)
 - Animal
 - Impervious, pervious
 - Non-animal
 - Impervious, pervious
- Other land use (cropland idle or used for cover crops or soil improvement but not harvested and not pastured or grazed)
- Degraded riparian pasture (TRP): To be determined

Phase 5

- Nursery
- Animal feeding operations
- Concentrated animal feeding operations
- Degraded riparian pasture



Land Uses (Cont.)

Phase 6 Proposed

Phase 5

- Natural
 - Forests
 - Riparian/floodplain
 - Upland
 - Harvested
 - Disturbed (e.g.: insect, fire)
 - Wetlands
 - Tidal emergent
 - Fresh emergent
 - Palustrine
- Barren
 - Extractive (e.g.: active mines)
- Stream corridors
 - Urban
 - Suburban/rural
- Scrub, shrub, grass (Mixed open)
- Water

- Forest (included wetlands)
- Harvested forest
- Water



Literature Review Approach for Non-Urban Land Uses

- Technical Approach submitted to CBPO Technical Advisor
- Obtained documents from EPA, CWP, USGS and other websites
- Searched Science Direct and started to Google different combinations of search terms
- Reviewed documents from urban loading rate study since some also listed forest and other nonurban land uses.

Communication

- Scheduled to present at:
 - Modeling Team 9/15.
 - Agricultural Modeling Subcommittee 9/16
 - Agricultural Workgroup, if recommended by AMS
 - Urban Stormwater Workgroup 9/23
 - Land Use Workgroup 9/25
 - Modeling Quarterly Review 9/30-10/1
 - Forestry Workgroup 10/1
 - Watershed Technical Workgroup 10/2
 - Habitat Workgroup, if they are interested
 - Also available to any other Workgroup
- Will present multiple times.